




## THE ADVANTAGES OF FLATFIX FUSION



#### **FLEXIBLE AND EASY**

- Completely modular system Flexible installation
- Easy to build around obstacles
   Aesthetic lightweight system
- Single or dual setup
- Suitable for residential and commercial projects




#### **RELIABLE**

- · Aerodynamic design
- Robust system thanks to connectors parallel and perpendicular to the panels
   Wind deflectors designed for maximum safety
- Tested to international standards
- 20-year warranty



#### SAFETY FOR THE ROOF

- For every type of roof
- Roof support with movable connectors
- Unique thermal decoupling prevents damage to roof material
   Optimum point pressure due to distributed ballast
- Integrated grounding and bonding in accordance with IEC 60364 series



#### **EASY TO INSTALL**

· User-friendly click system

- Optimizer ready cable clip for easy attachment and safe cable removal
   Optimizer clip can also be used for most micro inverters
- For the most common solar panels (angle of inclination 13°)





# COMPLETE AND FLEXIBLE INSTALLATION ON EVERY ROOF

FlatFix Fusion is a 100% Dutch product that has proven itself over many years: the modular and flexible system for flat roofs. FlatFix is an ideal mounting solution for solar panels on medium and smaller roofs. Its modular design enables a customized configuration to be created for every roof. Installers can, for example, easily build around obstacles – such as chimneys – with this system. FlatFix Fusion can be set up either in dual or single configuration.

#### Easy to install

Esdec was founded by professional installers, the interest of the installer always come first when designing our products. Simplicity and flexibility were therefore the starting points in the design of our FlatFix Fusion system. Smart click connections enable the system to be assembled quickly.

#### Safety for the roof

The different components are connected using fast-click connectors. The roof supports with movable connectors allow the system to move (expand and shrink) to prevent damages of the roof material. As a result, the thermal movements of the building are not transmitted to the PV system and vice versa.

#### Reliability

The patented FlatFix Fusion system has been extensively tested on fire safety, wind resistance and corrosion. FlatFix Fusion is a high-quality mounting solution. It complies with the strictest international standards and comes with a 20-year warranty.

#### ADVANTAGES FOR THE INSTALLER


- Modular mounting solution with click connection
- ✓ Flexible installation on any roof
- Integrated grounding and equipotential bonding
- ✓ Ease of installation with optimizer ready cable clip

#### ADVANTAGES FOR THE END USER

- ✓ Roof-specific configuration
- ✓ Safe and reliable
- No damage of the roof material
- √ 20-year warranty

#### **Dual setup**





#### 1 Modular click system

The different components enable flexible row lengths. This makes it possible to create a roof-specific setup and, for example, to build around obstacles.

#### 2 Lightweight system

FlatFix Fusion is made of strong, lightweight materials. The solar panels are connected lengthwise and across their width. This makes the mounting solution additionally robust.

## Unique click connection

The revolutionary, unique click connection makes the FlatFix Fusion a very quick and easy-to-install mounting solution.

## With thermal decoupling

The roof supports with movable connectors give the system space to expand thermally without damaging the roof material.

## With integrated cable management

The cables and plugs of the solar panels can be safely and easily attached to the mounting solution. This reduces the installation time and increases the installation quality.

#### SYSTEM COMPONENTS



FlatFix Fusion roof support 1007012



FlatFix Fusion low base

1007021

1007021-S (with bonding)



FlatFix Fusion high base

1007030

1007030-S (with bonding)



FlatFix Fusion cable-clip optimizer ready\*\*\*



FlatFix Fusion wind deflector rear\*/\*\*



FlatFix Fusion wind deflector left\*\*



FlatFix Fusion wind deflector right\*\* 1007205



FlatFix Fusion ballast container\*/\*\*
1007202



FlatFix Fusion stabilizer\*/\*\*
1007203



FlatFix Fusion base profile\*\*

210mm		1007121
370mm		1007137
550mm		1007155
750mm		1007175
940mm		1007194

- \* Also available in 1200, 1500, 1600, 1700, 1900 & 2000
- \*\* Also available in black
- \*\*\* Also suitable for most micro inverters

#### **FASTENERS**



Esdec mounting screw\*

6,5x19mm 1006519 6,5x55mm 1006555 6,5x60mm 1006560 6,5x63mm 1006563 6,5x70mm 1006570 6,5x75mm 1006575 6,5x80mm 1006580 6,5x85mm 1006585



Esdec screw

6,0 x 25mm (self tapping) 100-3010 6,3 x 32 (self drilling) 100-3015

\* Depending on panel thickness and related end clamp

### **CLAMPS**



Flatfix Fusion universal module clamp with bonding\*\* 1003022



FlatFix end clamp 31-50mm\*/\*\* 10041\_\_

- \* Depending on panel thickness (in mm)
- \*\* Also available in black

#### **ACCESSORIES**



FlatFix Fusion grounding spring 1007502\*\*



FlatFix Fusion grounding clamp (6mm<sup>2</sup>) 1007505



Esdec support screw cap, black\* 1006500



FlatFix Fusion TPO Mat 1007015



FlatFix Fusion roof support adapter 1007011



FlatFix Fusion low base extension 1007021-WP



FlatFix Fusion earthing bracket 1007503

- Combined with black systems
- \*\* Also available ready-assembled, see SYSTEM COMPONENTS

## Calculator

- Easily calculate ballast
- Overview of required materials
- Automatically generated construction plan


Go to esdec.com/calculator



## Warranty

- Use of premium materials
- Thoroughly tested
- 20-year warranty





## **QUICK RELIABLE INNOVATIVE**

Esdec has been developing, producing and supplying professional roof-mounting systems for solar panels since 2004. ClickFit and FlatFix are inspired by all installers who regularly install solar panels. Easy, quick, reliable installation using innovative, highquality, durable mounting systems: Esdec makes it possible.

**Esdec** 

Londenstraat 16 7418 EE Deventer Netherlands

+31 850 702 000

info@esdec.com

 info@esdec.com

05062020